


Version Date: July 2011



3RD GENERATION
PARTNERSHIP
PROJECT 2
"3GPP2"

3GPP2-IETF Draft Dependencies

COPYRIGHT

3GPP2 and its Organizational Partners claim copyright in this document and individual Organizational Partners may copyright and issue documents or standards publications in individual Organizational Partner's name based on this document. Requests for reproduction of this document should be directed to the 3GPP2 Secretariat at shoyler@tia.eia.org. Requests to reproduce individual Organizational Partner's documents should be directed to that Organizational Partner. See www.3gpp2.org for more information.

	Title	Link	Risk	3GPP2 priority	3GPP2 Need	3GPP2 TS G	3GPP2 release	RFC Needed by Date	IETF WG	IETF/ESG Status
1.	Session Initiation Protocol (SIP) Event Notification Extension for Notification Rate Control Replaced: Session Initiation Protocol (SIP) Event Notification Throttles	draft-ietf-sipcore-event-rate-control-08.txt	Medium	Critical	Presence	X	X.S0027-003	12/31/2005	SIPCORE	IESG Evaluation::AD Follow up
2.	DHCP Option for Home Information Discovery in MIPv6	draft-ietf-mip6-hiopt-17.txt	High	High	MIPv6 Enhancements	X	X.S0047, X.S0011Dv2	December 2006	DHC	RFC Ed Queue
3.	MIPv6 bootstrapping for the Integrated Scenario	draft-ietf-mip6-bootstrapping-integrated-dhc-06.txt	High	High	MIPv6 Enhancements	X	X.S0047, X.S0011Dv2	December 2006	MIPv6	RFC Ed Queue-
4.	GRE Key Extension for Mobile IPv4	draft-ietf-mip4-gre-key-extension-05.txt	High	High	Network Evolution	X A	X.S0061	10/31/2007	MIPv4	RFC 6245
5.	Location Conveyance for the Session	draft-ietf-sipcore-location-conveyance-08.txt	Low	High	All-IP Emergency Services	X	X.S0049-0	01/31/2008	SIP	ID-Exists

	Initiation Protocol									
7	Diameter IKEv2 PSK: Pre-Shared Secret-based Support for IKEv2 Server to Diameter Server Interaction	draft-ietf-dime-ikev2-psk-diameter-09	High	High	Femto	X	X.S0059	ASAP	Dime	IETF Last Call

Notes:

- The dependency and priority is based on the information available as of February 19, 2009.
- Where individual IDs are listed, there is a desire that an ID providing similar requirements of functionality be progressed within the working group.
- The **Risk** column indicates the perceived risk of an ID progressing to RFC in the required timeframe.
 - **Low:** RFC number probable in required publication timeframe
 - **Medium:** RFC number likely in required publication timeframe
 - **High:** RFC number unlikely in required publication timeframe
 - **Critical:** RFC number unlikely when publication is imminent
- The **3GPP2 Priority** column indicates criticality of the ID to the 3GPP2 specification.
 - **Desirable:** Desire to include functionality in referenced release
 - **Critical:** Required functionality in referenced release
- The **3GPP2 Need** column briefly describes the basic functional need.
- IETF/IESG Status is based on "IETF ID Tracker" at <https://datatracker.ietf.org/public/pidtracker.cgi>. IDs that have been advanced to RFC are marked in green. IDs in risk of meeting the publication date are marked in red. IDs with a Risk level of High or Critical, are Definite, and have Critical 3GPP2 Priority are highlighted in yellow in the list.