



Publication Numbering Guidelines

© 2011 3GPP2

3GPP2 and its Organizational Partners claim copyright in this document and individual Organizational Partners may copyright and issue documents or standards publications in individual Organizational Partner's name based on this document. Requests for reproduction of this document should be directed to the 3GPP2 Secretariat at secretariat@3gpp2.org. Requests to reproduce individual Organizational Partner's documents should be directed to that Organizational Partner. See www.3gpp2.org for more information.

Editor

Germaine Palangdao (3GPP2 Secretariat), 703-907-7497, gpalangdao@tiaonline.org

Revision History

Revision	Description of Changes	Date
Rev 0 v1.0	Publication	March 2004
Rev 0 v2.0	Publication	March 2007
Rev 0 v3.0	Publication	October 2008
Rev 0 v3.1	Changes to ensure compliance w/3GPP2 Drafting Rules	July 2011
Rev 0 v3.2	Addition of text to the Foreword; minor editorial changes	28 July 2011

1 Table of Contents

2 Foreword ii

3 1. Introduction 1

4 1.1 Scope..... 1

5 2. Uniform 3GPP2 Publication Numbering Scheme: 1

6

7

8

1 **FOREWORD**

2 This foreword is not part of this document.

3 This document, in conjunction with SC.R1001, describes procedures related to 3GPP2
4 publication numbering and processing.

5

1 **1. INTRODUCTION**

2 **1.1 Scope**

3 The 3GPP2 Publication Numbering document is intended to codify the numbering scheme
4 to be adhered to by all 3GPP2 groups in the development of 3GPP2 specifications, reports
5 and industry notices.

6 **2. UNIFORM 3GPP2 PUBLICATION NUMBERING SCHEME:**

7 **A.Bcccc[-ddd]-X version y.z or A.Bcccc[-ddd]-X vy.z**

8 Where:

9 A[A] identifies the publishing TSG/body [A, C, S, X or SC]

10 B[B] denotes industry notice, project, report or specification [IN, P, R, S]

11 cccc is the 4-digit document number [0000-9999]

12 ddd is the optional 3-digit part number for multi-part documents [000-999]

13 X denotes revision [0, A-Z]:

14 0 is the initial release (0th revision),
15 A is the first revision, and so on

16 version the word “version” followed by a space or the letter “v” with no trailing space

17 y is the “point release” number

18 0 is used when the document is first created,

19 1 number is incremented whenever the document is approved for publication
20 (e.g., 1 is the first approval by the plenary for publication)

21 z is an internal edit level

22 0 internal edit level z, always reset to 0 when the document is approved for
23 publication,

24 1 internal edit level is incremented by the entity (e.g., working group) that is
25 developing the document.

26 Notes:

27 1. The document cover includes the complete number “A.Bcccc[-ddd]-X version y.z”.
28 On the cover page, “Version y.z” may appear on the line below the number
29 “A.Bcccc[-ddd]-X”.

30 2. The document filename will include the character string “A.Bcccc[-ddd]-X_vy.z”.

31 3. The document number space “cccc” is administered by each group as needed.

1 4. A reference to a 3GPP2 document does not need to include “version y.z” unless
2 specifically needed to resolve a technical incompatibility that would otherwise exist.

3 5. The document number space “ddd” is administered by each group as follows: value
4 “000” is reserved for the “Overview” part. This “Overview” includes information
5 about revisions and versions of all document parts.

6 Two separate document development “tracks” are supported. Major revisions are indicated
7 by the revision level designator X and are used to identify significant technical changes or
8 additions to a specification (which will typically be supported independently in product
9 implementations). Major revisions are not mutually exclusive, meaning that manufacturers
10 may continue to build products in conformance with revision 0 of a specification even after
11 revision A has been published. On the other hand, a new point release of a document
12 (indicated by the point release designator y) supersedes all previous point releases of the
13 same document revision; manufacturers should build products in conformance with only
14 the most recent version of a specification at a given revision level. Generally speaking, point
15 releases will be used to publish technical corrections and enhancements to existing
16 capabilities and revisions will be used to publish new technical capabilities or features.