

**3GPP2 SC.R1002-0**

**Version 1.0**

**Date: 12 February 2004**



**3RD GENERATION  
PARTNERSHIP  
PROJECT 2  
"3GPP2"**

---

## ***Publication Numbering Guidelines***

### ***COPYRIGHT***

*3GPP2 and its Organizational Partners claim copyright in this document and individual Organizational Partners may copyright and issue documents or standards publications in individual Organizational Partner's name based on this document. Requests for reproduction of this document should be directed to the 3GPP2 Secretariat at [secretariat@3gpp2.org](mailto:secretariat@3gpp2.org). Requests to reproduce individual Organizational Partner's documents should be directed to that Organizational Partner. See [www.3gpp2.org](http://www.3gpp2.org) for more information.*

## **Revision History**

<b><u>Revision</u></b>	<b><u>Description</u></b>	<b><u>Date</u></b>
Rev. 0.1	Initial draft (from SC-20010419-024) - Updated list of TSGs, added SC - Allowed for multi-part documents	17 July 2003
Rev. 0.2	Incorporated comments from TSG-A	10 December 2003
Rev. 0.3	Comments from PMT meeting	11 December 2003
Rev. 0.4	V&V comment from PMT meeting (settled issue of dash vs. dot as multi-part document number delimiter)	12 February 2004

## 1 **Uniform 3GPP2 Publication Numbering Scheme:**

### 2 **A.Bcccc[-ddd]-X version y.z or A.Bcccc[-ddd]-X vy.z**

3 Where:

- 4 A[A] identifies the publishing TSG/body [A, C, S, X or SC]  
5 B denotes project, report or specification [P, R, S]  
6 cccc is the 4-digit document number [0000-9999]  
7 ddd is the optional 3-digit part number for multi-part documents [000-999]  
8 X denotes revision [0, A-Z]:  
9 0 is the initial release (0<sup>th</sup> revision),  
10 A is the first revision, and so on  
11 version the word “version” followed by a space or the letter “v” with no trailing space  
12 y is the “point release” number  
13 0 is used when the document is first created,  
14 1 number is incremented whenever the document is approved for publication  
15 (e.g., 1 is the first approval by the plenary for publication)  
16 z is an internal edit level  
17 0 internal edit level z, always reset to 0 when the document is approved for  
18 publication,  
19 1 internal edit level is incremented by the entity (e.g., working group) that is  
20 developing the document.

21 Notes:

- 22 1. The document cover will include the complete number “A.Bcccc[-ddd]-X version y.z”.  
23 On the cover page, “Version y.z” appears on the line below the number  
24 “A.Bcccc[-ddd]-X”.  
25 2. The document filename will include the character string “A.Bcccc[-ddd]-X\_vy.z”.  
26 3. The document number space “cccc” is administered by each group as needed.  
27 4. A reference to a 3GPP2 document does not need to include “version y.z” unless  
28 specifically needed to resolve a technical incompatibility that would otherwise exist.

29 Two separate document development “tracks” are supported. Major revisions are indicated  
30 by the revision level designator X and are used to identify significant technical changes or  
31 additions to a specification (which will typically be supported independently in product  
32 implementations). Major revisions are not mutually exclusive, meaning that manufacturers  
33 may continue to build products in conformance with revision 0 of a specification even after  
34 revision A has been published. On the other hand, a new point release of a document  
35 (indicated by the point release designator y) supersedes all previous point releases of the  
36 same document revision; manufacturers should build products in conformance with only  
37 the most recent version of a specification at a given revision level. Point releases will be  
38 published as complete specifications. Generally speaking, point releases will be used to  
39 publish technical corrections and enhancements to existing capabilities and revisions will  
40 be used to publish new technical capabilities or features.