

3GPP2 SC.R1002-0

Version 2.0

Date: 26 March 2007



3RD GENERATION  
PARTNERSHIP  
PROJECT 2  
"3GPP2"

---

## ***Publication Numbering Guidelines***

### *Copyright Notice*

*3GPP2 and its Organizational Partners claim copyright in this document and individual Organization Partners may copyright and issue documents or standards publications in individual Organizational Partner's name based on this document. Requests for reproduction of this document should be directed to the 3GPP2 Secretariat at [secretariat@3gpp2.org](mailto:secretariat@3gpp2.org). Requests to reproduce individual Organizational Partner's documents should be directed to that Organizational Partner. See [www.3gpp2.org](http://www.3gpp2.org) for more information.*

## **Revision History**

<b><u>Revision</u></b>	<b><u>Description</u></b>	<b><u>Date</u></b>
v 0.1	Initial draft (from SC-20010419-024) - Updated list of TSGs, added SC - Allowed for multi-part documents	17 July 2003
v0.2	Incorporated comments from TSG-A	10 December 2003
v0.3	Comments from PMT meeting	11 December 2003
v0.4	V&V comment from PMT meeting (settled issue of dash vs. dot as multi-part document number delimiter)	12 February 2004
v1.1	SC-Action Item 2006/02-01 – Changes made in Dallas, TX Meeting	27 March 2006
v1.2	SC-Decision Item 2006/10-05 – Changes made in Chicago, IL Meeting	November 2, 2006
v2.0	Publication	26 March 2007

1 **Uniform 3GPP2 Publication Numbering Scheme:**

2 **A.Bcccc[-ddd]-X version y.z or A.Bcccc[-ddd]-X vy.z**

3 Where:

4 A[A] identifies the publishing TSG/body [A, C, S, X or SC]

5 B[B] denotes industry notice, project, report or specification [IN, P, R,  
6 S]

7 cccc is the 4-digit document number [0000-9999]

8 ddd is the optional 3-digit part number for multi-part documents  
9 [000-999]

10 X denotes revision [0, A-Z]:

11 0 is the initial release (0<sup>th</sup> revision),

12 A is the first revision, and so on

13 version the word “version” followed by a space or the letter “v” with no  
14 trailing space

15 y is the “point release” number

16 0 is used when the document is first created,

17 1 number is incremented whenever the document is approved  
18 for publication (e.g., 1 is the first approval by the plenary for  
19 publication)

20 z is an internal edit level

21 0 internal edit level z, always reset to 0 when the document is  
22 approved for publication,

23 1 internal edit level is incremented by the entity (e.g., working  
24 group) that is developing the document.

25 Notes:

26 1. The document cover will include the complete number “A.Bcccc[-ddd]-  
27 X version y.z”. On the cover page, “Version y.z” appears on the line  
28 below the number “A.Bcccc[-ddd]-X”.

29 2. The document filename will include the character string “A.Bcccc[-  
30 ddd]-X\_vy.z”.

1       3. The document number space “cccc” is administered by each group as  
2       needed.

3       4. A reference to a 3GPP2 document does not need to include “version  
4       y.z” unless specifically needed to resolve a technical incompatibility  
5       that would otherwise exist.

6       Two separate document development “tracks” are supported. Major  
7       revisions are indicated by the revision level designator X and are used to  
8       identify significant technical changes or additions to a specification (which  
9       will typically be supported independently in product implementations).  
10      Major revisions are not mutually exclusive, meaning that manufacturers  
11      may continue to build products in conformance with revision 0 of a  
12      specification even after revision A has been published. On the other hand, a  
13      new point release of a document (indicated by the point release designator y)  
14      supersedes all previous point releases of the same document revision;  
15      manufacturers should build products in conformance with only the most  
16      recent version of a specification at a given revision level. Generally speaking,  
17      point releases will be used to publish technical corrections and  
18      enhancements to existing capabilities and revisions will be used to publish  
19      new technical capabilities or features.