

3GPP2 SC.R1002-0

Version 3.0

Date: 30 October 2008



3RD GENERATION
PARTNERSHIP
PROJECT 2
"3GPP2"

Publication Numbering Guidelines

Copyright Notice

3GPP2 and its Organizational Partners claim copyright in this document and individual Organization Partners may copyright and issue documents or standards publications in individual Organizational Partner's name based on this document. Requests for reproduction of this document should be directed to the 3GPP2 Secretariat at secretariat@3gpp2.org. Requests to reproduce individual Organizational Partner's documents should be directed to that Organizational Partner. See www.3gpp2.org for more information.

Revision History

<u>Revision</u>	<u>Description</u>	<u>Date</u>
v 0.1	Initial draft (from SC-20010419-024) - Updated list of TSGs, added SC - Allowed for multi-part documents	17 July 2003
v0.2	Incorporated comments from TSG-A	10 December 2003
v0.3	Comments from PMT meeting	11 December 2003
v0.4	V&V comment from PMT meeting (settled issue of dash vs. dot as multi-part document number delimiter)	12 February 2004
v1.1	SC-Action Item 2006/02-01 – Changes made in Dallas, TX Meeting	27 March 2006
v1.2	SC-Decision Item 2006/10-05 – Changes made in Chicago, IL Meeting	November 2, 2006
v2.0	Publication	26 March 2007
v2.1	Changes made during August 2008 meeting in Vancouver for addition of note #5	26 August 2008
v2.2	Changes proposed by TSG-A in S00- 20080929-026 regarding modification of note #1	1 October 2008
v3.0	Published version	30 October 2008

1 **Uniform 3GPP2 Publication Numbering Scheme:**

2 **A.Bcccc[-ddd]-X version y.z or A.Bcccc[-ddd]-X vy.z**

3 Where:

4 A[A] identifies the publishing TSG/body [A, C, S, X or SC]

5 B[B] denotes industry notice, project, report or specification [IN, P, R,
6 S]

7 cccc is the 4-digit document number [0000-9999]

8 ddd is the optional 3-digit part number for multi-part documents
9 [000-999]

10 X denotes revision [0, A-Z]:

11 0 is the initial release (0th revision),

12 A is the first revision, and so on

13 version the word “version” followed by a space or the letter “v” with no
14 trailing space

15 y is the “point release” number

16 0 is used when the document is first created,

17 1 number is incremented whenever the document is approved
18 for publication (e.g., 1 is the first approval by the plenary for
19 publication)

20 z is an internal edit level

21 0 internal edit level z, always reset to 0 when the document is
22 approved for publication,

23 1 internal edit level is incremented by the entity (e.g., working
24 group) that is developing the document.

25 Notes:

26 1. The document cover includes the complete number “A.Bcccc[-ddd]-X
27 version y.z”. On the cover page, “Version y.z” may appear on the line
28 below the number “A.Bcccc[-ddd]-X”.

29 2. The document filename will include the character string “A.Bcccc[-
30 ddd]-X_vy.z”.

1 3. The document number space “cccc” is administered by each group as
2 needed.

3 4. A reference to a 3GPP2 document does not need to include “version
4 y.z” unless specifically needed to resolve a technical incompatibility
5 that would otherwise exist.

6 5. The document number space “ddd” is administered by each group as
7 follows: value “000” is reserved for the “Overview” part. This
8 “Overview” includes information about revisions and versions of all
9 document parts.

10 Two separate document development “tracks” are supported. Major
11 revisions are indicated by the revision level designator X and are used to
12 identify significant technical changes or additions to a specification (which
13 will typically be supported independently in product implementations).
14 Major revisions are not mutually exclusive, meaning that manufacturers
15 may continue to build products in conformance with revision 0 of a
16 specification even after revision A has been published. On the other hand, a
17 new point release of a document (indicated by the point release designator y)
18 supersedes all previous point releases of the same document revision;
19 manufacturers should build products in conformance with only the most
20 recent version of a specification at a given revision level. Generally speaking,
21 point releases will be used to publish technical corrections and
22 enhancements to existing capabilities and revisions will be used to publish
23 new technical capabilities or features.