



GHA (Global Hexadecimal Administrator) Assignment Guidelines and Procedures for Mobile Equipment Identifier (MEID) and Short Form Expanded UIM Identifier (SF_EUIMID)

© 2013 3GPP2

3GPP2 and its Organizational Partners claim copyright in this document and individual Organizational Partners may copyright and issue documents or standards publications in individual Organizational Partner's name based on this document. Requests for reproduction of this document should be directed to the 3GPP2 Secretariat at secretariat@3gpp2.org. Requests to reproduce individual Organizational Partner's documents should be directed to that Organizational Partner. See www.3gpp2.org for more information.

Revision History

Revision	Description of Changes	Date
Version 1.0	Republished S.R0089-0 to SC.R4002-0 v1.0 Initial Publication	February 2004
Version 2.0	SC.R4002-0 updates	October 2004
Version 3.0	SC.R4002-0 updates	March 2006
Version 4.0	SC.R4002-0 updates to address EUIM_ID SF	26 July 2007
Version 5.0	SC.R4002-0 updates to clarify MFR Code segment assignments	18 January 2008
Version 6.0	SC.R4002-0 updates to clarify multimode assignments & SF UIMID	June 2010
Version 7.0	SC.R4002-0 updates multimode assignment form and editorials	March 2011
Version 8.0	SC.R4002-0 updates including MEID form updates, Annex re: MEID db and editorials	April 2012
Version 9.0	SC.R4002-0 updates including Form "A" LTE band updates & contact Title boxes, New TIA address location & editorials	March 2013

TABLE OF CONTENTS

Foreword.....	ii
1.0 PREFACE.....	1
2.0 SCOPE.....	1
3.0 INFORMATIVE REFERENCES.....	2
4.0 ASSUMPTIONS AND CONSTRAINTS.....	2
5.0 MEID FORMAT AND FUNCTION.....	3
6.0 GEID SPECIFIC GDA and GHA ASSIGNMENT GUIDELINES COORDINATION.....	4
7.0 ASSIGNMENT PRINCIPLES.....	4
8.0 CRITERIA FOR MEID ASSIGNMENT.....	6
9.0 RESPONSIBILITIES OF MEID MANUFACTURER’S CODE APPLICANTS & ASSIGNEES.....	6
10.0 RESPONSIBILITIES OF THE MEID ADMINISTRATOR.....	7
11.0 MEID MANUFACTURER’S CODE RETURN AND RECLAMATION PROCEDURES.....	9
12.0 MEID RESOURCE CONSERVATION AND ASSIGNMENT REVIEWS.....	10
13.0 MEID EXHAUSTION CONTINGENCY.....	11
14.0 MAINTENANCE OF GUIDELINES.....	12
15.0 APPEALS PROCESS.....	12
16.0 GLOSSARY.....	13
17.0 MEID ADMINISTRATIVE REPORT INFORMATION.....	14
18.0 MEID MANUFACTURER’S CODE ASSIGNMENT.....	14
19.0 MEID APPLICATION AND RELATED FORMS PACKAGE.....	15
ANNEX “A” (Informative).....	28
MEID Application and Assignment form TIA Online process screen shots:.....	28

1
2
3
4
5
6
7
8
9
10

Foreword

This foreword is not part of this specification.

This document contains the guidelines and procedures for the assignment and use of Mobile Equipment Identifiers (MEIDs) for Mobile Stations (MSs), and Short Form Expanded UIM Identifiers (SF_EUIMID) for R-UIMs or CSIMs.

This specification was prepared by the Third Generation Partnership Project 2 (3GPP2).

1.0 PREFACE

Correspondence relating to the administration herein should be directed to the MEID Global Hexadecimal Administrator.

MEID Global Hexadecimal Administrator
c/o Telecommunications Industry Association
1320 N. Courthouse Rd. Suite 200
Arlington, VA 22201 USA

Phone: +1 703-907-7791

Fax: +1 703-907-7728

meidadmin@tiaonline.org

2.0 SCOPE

The Mobile Equipment Identifier (MEID) [1] is used as a means to facilitate mobile equipment identification and to track mobiles. Short Form Expanded UIM Identifier (SF_EUIMID) [6], [7], with similar format to MEID, may be stored on a Removable UIM (R-UIM) or CSIM and used to identify it for certain functions. The Global Equipment Identifier (GEID) coordinated range encourages global roaming and harmonization between 3G technologies as a universal mobile equipment identifier.

The fields in the MEID or SF_EUIMID are coded with hexadecimal coding {note: SF_EUIMID shall use RR=A0-FF (regardless if it is a CDMA only or GSM+CDMA card)}. The addressing space is quite large and exhaustion issues are not expected. In further text, unless specifically noted otherwise, the term MEID will be used to mean either MEID in the narrow sense (i.e. identifier stored on the mobile equipment hardware), or SF_EUIMID (i.e. identifier stored on the Removable User Identity Module (R-UIM) or CSIM).

GEID (i.e., IMEI and MEID) provides the manufacturer identity of the ME, and information such as type allocation (for multi-mode MEID assignments) and serial number. By means of manufacturer's data base lookup, MEID may help service providers identify the ME to the levels of model, manufactured factory and lot numbers. The information can be used for corrective or preventive actions to improve the service quality. The MEID allows a list of MEs that have been stolen or denied service to be maintained e.g., Central Equipment Identity Register (*CEIR*).

The MEID has a number structure and allocation system that is globally recognized and applied in multiple access technologies.

Regulatory requirements associated with MEID are a subject of relevant laws and regulations, and relevant technical specifications in the country where equipment is placed on the market.

These guidelines are in the context of international cellular telecommunications industry standards. It is recommended that systems compliant with the industry standards follow these guidelines to facilitate international roaming and to minimize fraud.

The MEID is entered into the MS by the manufacturer of the MS. The MEID is composed mainly of two basic components, the manufacturer's code and the serial number. These guidelines specify the procedure for acquisition, transfer, return and regulation of the MEID Manufacturer's (MFR) Codes.

These guidelines pertain to all digit segments of the MEID format. The GHA manages all digit segments of the MEID, but directly administers only the MEID MFR Code segment. The manufacturer to which the MEID MFR Code or subdivided segmented block is assigned directly administers the assigned Serial Number segment. Detailed Mobile Equipment Identifier (MEID) assignment information is provided by the Global Hexadecimal Administrator (GHA).

1 These guidelines apply globally; however, they do not supersede the regulations, procedures or requirements of any
2 appropriate legal or regulatory authority.

3 A compliant MS must have an MEID in accordance with these guidelines.

4 Equipment identifiers other than MEID and SF_EUIMID (e.g., ESN, UIM-ID [3],[4]) are not addressed here.

5
6 If a multi-mode MS supports one or more 3GPP2 defined radio interfaces (e.g., analog, CDMA) and utilizes a single
7 mobile equipment identifier, that identifier conforms to the MEID guidelines. If a multi-mode MS supports both
8 3GPP2 and 3GPP defined radio interfaces (e.g., CDMA, GSM), the mobile equipment identifier conforms to the
9 IMEI guidelines [3.2] and/or these guidelines.

10

11 3.0 INFORMATIVE REFERENCES

12 3.1

13

14 [1] 3GPP2 S.R0048-A 3G Mobile Equipment Identifier (MEID)

15

16 [2] GSMA TS.06 IMEI Allocation and Approval Guidelines

17

18 [3] 3GPP2 SC.R4004-0 UIM ID Manufacturer's Code Assignment Guidelines and Procedures

19

20 [4] TIA ESN Manufacturer's Code Assignment Guidelines and Procedures

21

22 [5] 3GPP2 SC.R4001-0 Global Equipment Numbering Administrative Procedures

23 [6] 3GPP2 SC.R4003-0 Expanded R-UIM Numbering Procedures

24

25 [7] 3GPP2 S.R0111-0 Expanded R-UIM ID Stage 1

26

27 [8] 3GPP2 X.S0008-0 Support for the Mobile Equipment Identity (MEID)

28

29

30 4.0 ASSUMPTIONS AND CONSTRAINTS

31

32 These guidelines and procedures are based on the following assumptions and constraints:

33 4.1 The guidelines are designed to provide the greatest latitude to MS, R-UIM and CSIM manufacturers while
34 permitting the effective and efficient management of a finite resource.

35

36 4.2 The coordinating function of the GEID administration is performed by the Global MEID Administrators.
37 (See Ref. [5]).

38 4.2.1 The function of the IMEI Global Decimal Administration (GDA) is performed by an appointed
39 IMEI Administrator.

40 4.2.2 The function of the MEID Global Hexadecimal Administration (GHA) is performed by the 3GPP2
41 appointed MEID Administrator.

42 4.3 The guidelines as set forth in this document remain in effect until there is change as a result of 3GPP2
43 standards development or regulatory policy (where applicable) direction to change them.

44 4.4 The guidelines do not describe the method by which MEIDs are transmitted across and processed by
45 networks. Network interworking arrangements are contained in other standards, documents, or business
46 agreements.

47


- 1 4.5 The applicant/assignee of an MEID MFR Code(s) should provide evidence of credentials, if requested, to
2 produce MSs.
3
- 4 4.6 The GHA may appoint other regional entities as a regional reporting body with MEID assignment
5 authorization.
6
- 7 4.7 Without authorization of 3GPP2, the Administrator shall take no action impacting legacy equipment
8 identifiers. Administration and Implementation of MEID shall have no negative impact on the application
9 and use of legacy equipment and identifiers (e.g., ESN, UIM ID).
10
11
12

13 **5.0 MEID FORMAT AND FUNCTION**

- 14 5.1 The 56-bit MEID identifier structure is compatible between 3GPP IMEI and 3GPP2.
- 15 5.2 Each MS is assigned a unique MEID. When used as SF_EUIMID, it is uniquely assigned to an R-UIM or
16 CSIM.
- 17 5.3 The MEID identifies the manufacturer of the MS. When SF_EUIMID is assigned to an R-UIM or CSIM, it
18 identifies an R-UIM or CSIM manufacturer.
19
- 20 5.4 MEID Structure and Format

21 The MEID digit range is hexadecimal and syntactically consistent with the IMEI structure. However, the
22 MEID structure does not utilize all of the fields in the exact semantic manner as in IMEI. The MEID
23 numbering space is allocated in a manner that does not impact the decimally encoded IMEI. The MEID
24 structure is also consistent with the ESN allocation scheme which uses 24-bit Serial Numbers.

25 *The MEID structure:*



26

27 In the case of MEIDs for terminals conforming exclusively to 3GPP2 technology, all of these fields are defined as
28 hexadecimal values with the following valid range:
29 RR - valid range A0 ... FF – globally administered by GHA
30 XXXXXX - valid range 000000... FFFFFFFF
31 ZZZZZZ - valid range 000000... FFFFFFFF
32 C - valid range 0... F – not transmitted over the air

33 In the case of MEIDs for terminals designed to comply with both 3GPP and 3GPP2 air interface specifications (i.e.,
34 multimode terminals), all of these fields are defined as decimal values. The following valid decimal ranges are
35 globally assigned by the GHA¹ for multimode terminals (Note: other multimode ranges are globally administered by
36 the GDA from allocation space within other individual GDA RR decimal ranges):

- 37 RR - valid range ‘99’, ‘98’, ‘97’ – globally administered by GHA
- 38 XXXXXX - valid range 000000... 999999
- 39 ZZZZZZ - valid range 000000... 999999
- 40 C - valid range 0 ... 9 – not transmitted over the air
- 41
- 42

¹ GHA presently assigning RR 99 range.

1 5.4.1 Numbering Capacity

2 The MEID numbering capacity can be computed as follows:

3 *There are 96 codes when RR is restricted to the A0 .. FF range. Note that additional 60 codes*
 4 *could be made available in the ranges of 0A .. 0F, 1A .. 1F, 2A .. 2F, ... , 9A .. 9F, subject to*
 5 *industry agreement. [3.5]*

6 There are 16,777,216 codes in the XXXXXX field.

7 There are 16,777,216 Serial Numbers in ZZZZZZ field.

8 *The total numbering capacity exceeds 281×10^{12} (281 trillion) per RR code.*

9 The MEID is the hardware identifier migrated from the ESN, and SF_EUIMID is a card identifier migrated from the
 10 UIMID that was derived from the ESN.

11 The current ESN numbering space consists of:

12 256 Manufacturer Codes (8-bit).

13 16,777,216 Serial Numbers per Manufacturer Code.

14
 15 The MEID provides for a raw numbering space that is 65,535 times the size of the existing ESN numbering space
 16 per RR code. The total numbering space using 96 RR codes represents a space that is 6,291,456 times as large as the
 17 current ESN numbering space.

18
 19 5.5 The MEID does not specify the frequency band, air-interface technology or supported service associated
 20 with the MS.
 21

23 6.0 GEID SPECIFIC GDA and GHA ASSIGNMENT GUIDELINES 24 COORDINATION 25

26 Except as provided for Sections 2.8, 6.3, 6.4, 6.5 of the Global Numbering document Ref [5], the working
 27 procedures and/or terms of reference of the GDA and GHA take precedence over the Global Numbering
 28 Administration Procedures (see Ref. [5] Section 3.3).
 29
 30
 31

32 7.0 ASSIGNMENT PRINCIPLES 33

34 7.1 MEID MFR Codes shall be assigned to permit the effective and efficient use of a finite resource in order to
 35 maximize the existing allocated resource inventory and to defer, as long as practical, the need to request
 36 additional or replacement for MEID MFR Code resources.

37 7.2 Upon application, the MEID administrator shall assign one or more MEID MFR Code(s) to each legitimate
 38 MS manufacturer, R-UIM or CSIM manufacturer. An MEID MFR Code shall not be simultaneously
 39 assigned to more than one MEID manufacturer.

40 The MEID Administrator presently assigns MEIDs in;

41
 42 - FULL MFR Code Deployable singlemode hexadecimal blocks of 16,777,216. The MFR ID Code portion
 43 = six (6) hex digits.
 44

45 - Segmented MFR Code Deployable singlemode hexadecimal blocks of 1,048,576. The MFR ID Code
 46 portion = seven (7) hex digits.

1 *In this case the Manufacturer Code field borrows a digit from the Serial Number field:*

Manufacturer Code									Serial Number					CD
R	R	X	X	X	X	X	X	X	Z	Z	Z	Z	Z	C

2
3 - Multimode Deployable blocks of 1,000,000. The MFR ID Code / IMEI TAC portion = six (6) decimal
4 digits.

5 - MEID MFR Code hexadecimal blocks of 2048 units for singlemode testing purposes.

6 - MEID MFR Code / IMEI TAC in decimal blocks of 2000 units for multimode testing purposes.

7 Note: MEID MFR Code block contains 16,777,216 MEIDs. This block can be either assigned by the
8 GHA as a whole, or it can be subdivided and assigned as 16 blocks of 1,048,576 (1,000,000 if multimode
9 Decimal range) MEIDs each, 32 blocks of 524,288 or 64 blocks of 262,144.

10 A segmented MEID MFR Code may be assigned by the MEID Administrator, at his or her discretion, when
11 it is judged that a segmented code may be an efficient use of the MEID MFR Code resource. This is the
12 preferred method to help mitigate future exhaust concerns

13
14 To responsibly address future numbering resource exhaust and also accommodate smaller manufacturer
15 needs, Segmented Code deployable block assignment is the preferred method to assign MEID resources.
16 Detailed Mobile Equipment Identifier (MEID) assignment information is provided by the Global
17 Hexadecimal Administrator (GHA).

18 7.3 Reassignment; An unused MEID MFR Code that is recovered or returned from a previous assignee may be
19 reassigned by the GHA to another manufacturer without limitation according to the principles in section 13.

20 7.4 An MEID Serial Number is assigned by the manufacturer to each MS, R-UIM or CSIM which it
21 manufactures. An MEID is unique to a single MS, R-UIM or CSIM. The manufacturer exercises due
22 diligence in the design and manufacture of the MS, R-UIM or CSIM to ensure tamper resistance of the
23 factory set MEID outside of place of manufacture and authorized service centers.

24 7.5 MEID MFR Codes are a global public resource. The assignment of any MEID MFR Code does not imply
25 ownership of the resource by either the entity to which it is assigned or by the entity performing the
26 administrative function.

27 7.6 Should a manufacturer transfer production of a type of MS, R-UIM or CSIM to a different manufacturer,
28 then the use of the assigned MEID MFR Code is transferable to the new manufacturer using the Form D.

29 7.7 The MEID administrator:

- 30 • Assigns MEID MFR Codes in a fair, timely and impartial manner to any applicant that meets the
31 criteria for assignment.
- 32 • Address each application in the order they are received and assign MEID MFR Codes from the
33 available pool of unassigned codes based on applicant information provided and historical data.
34 When all of the codes have been assigned, codes that had been assigned but never used and
35 subsequently recovered by the MEID Administrator are assigned.
- 36 • Makes all assignments based on the procedures in these guidelines.
- 37 • Shall treat sensitive information received from applicants as proprietary and confidential, and not
38 share with non-administrator personnel.

39 7.8 Information that is requested of applicants in support of an MEID MFR Code application shall be uniform
40 and should be kept to a minimum. In the case of multimode IMEI/MEID equipment, the information to be
41 divulged differs and is more detailed than for non-multimode terminals (see Ref. [2]).

- 1 7.9 Assigned MEID MFR Codes should start to be deployed as soon as possible, but no later than twelve
2 months after assignment. If the assignee can demonstrate that an assigned MEID MFR Code has not started
3 to be consumed solely due to delays beyond its control, the time period can be extended for up to 90 days.
4 At the discretion of the administrator, three additional 90-day extensions may be granted.
- 5 7.10 An entity which is denied an MEID MFR Code assignment or extension under these guidelines has the right
6 to appeal that decision.
- 7 7.11 Entities applying for assignment of MEID MFR Code(s) (see Ref. [5] Section 3.3), or entities to which
8 MEID MFR Code(s) have been assigned shall comply with these guidelines.
- 9 7.12 There may be an administrative fee associated with an application for an MEID MFR Code(s).

10

11 **8.0 CRITERIA FOR MEID ASSIGNMENT**

12 The assignment criteria in this section should be considered by a potential MEID MFR Code applicant before
13 submitting an MEID MFR Code application and is used by the MEID administrator in reviewing and processing an
14 MEID MFR Code application:

- 15 8.1 Applicants for an MEID Manufacturer Code must satisfy the Administrator that they intend to place
16 equipment on the market. (e.g., FCC Identifier and Grant Date).
- 17 8.2 An MEID MFR Code is only assigned by the administrator upon receipt and approval of a completed *Form*
18 *A – MEID Manufacturer’s Code Application*.
- 19 8.3 Form A should indicate the anticipated number of MFR Codes initially required. This information is held
20 confidential by the MEID Administrator.

21

22 **9.0 RESPONSIBILITIES OF MEID MANUFACTURER’S CODE APPLICANTS &**
23 **ASSIGNEES**

24 Entities requesting MEID MFR Code assignments shall comply with the following:

- 25 9.1 MEID MFR Code applicants and assignees must meet all conditions specified in these guidelines. Copies
26 of the guidelines may be obtained from the MEID Administrator or overseeing industry body.
- 27 9.2 Applicants must apply in writing to the MEID Administrator by completing *Form A - MEID MFR Codes*
28 *Application*. Copies of all required forms are included in these guidelines.
- 29 9.3 The MEID shall be set by the manufacturer. The manufacturer shall make every reasonable effort for the
30 MEID to be not alterable, not capable of duplication nor removable outside of a manufacturer authorized
31 service center, and any attempt to remove, tamper with, or change the MEID host component or operating
32 system as originally programmed by the manufacturer shall render the MS inoperative. Where a dedicated
33 MEID device is utilized, it must be permanently attached to the device that reads the MEID and the path to
34 the device must be secured. The device shall not be removable and its pins shall not be accessible. The
35 MEID is incorporated in an MS module, which is contained within the MS equipment. The MEID shall not
36 be changed after the ME’s final production process. It shall resist tampering, i.e. manipulation and change,
37 by any means (e.g. physical, electrical and software). The manufacturer who is also responsible for
38 ascertaining that each MEID is unique and keeping detailed records of produced and delivered MS, R-UIM
39 or CSIM should carry out implementation of each individual module.

40 9.4 MEID MFR Code assignees shall:

- 1 9.4.1 Assign a different MEID to each MS, R-UIM or CSIM, within the range allocated to the
2 manufacturer. Note: R-UIM or CSIM vendors may subdivide their assigned MC (also known as
3 “Issuer Code” see [6]) or their MC segment among network operators, but all SF_E-UIM_IDs
4 associated with it must be used as E-UIM_IDs (i.e. none can be used as MEIDs for MEs). When
5 submitting *Form A – Mobile Equipment Identifier (MEID) Application*, one or the other must be
6 identified in the General description of the MS, R-UIM or CSIM MEID Use Declaration line
7 item.
- 8 9.4.2 Assign and efficiently manage the Serial Number associated with the assigned MEID MFR
9 Codes. Maintain up-to-date and accurate assignment records that match MEIDs of their
10 produced MSs, R-UIMs or CSIM. These records may be required for audit purposes. Receipt
11 of Form G is also used as an audit tool. Unused ranges of MEID Code(s) assignments may be
12 candidates for reclamation and reassignment.
- 13 9.4.3 Inform the MEID administrator of changes in the information associated with an MEID MFR
14 Code assignment by using *Form D – Request for Change in MEID Assignment Information*.
15 Changes may occur because of the transfer of an MEID MFR Code(s), through merger or
16 acquisition, to a different MS manufacturer. The initial assignee of the MEID MFR Codes
17 involved in a transfer occurring through merger, acquisition or other means must immediately
18 inform the MEID Administrator when such a change becomes effective. Timely submission of
19 change information enables the MEID Administrator to maintain accurate MEID MFR Code
20 assignment records.
- 21 9.4.4 Participate in review of the MEID process, when requested.
- 22 9.4.5 Deploy any MEID MFR Code, assigned either directly by the administrator or obtained through
23 merger or acquisition, within the time period specified. Inform the MEID Administrator of
24 MEID MFR Code deployment by submitting *Form C – MEID Use Declaration*.
- 25 9.4.6 Apply to the MEID Administrator for an extension if the deployment requirement cannot be met
26 and the MEID MFR Code is still required.
- 27 9.4.7 Return to the Administrator, using *Form F – MEID Assignment Return*:
- 28 • Any MEID MFR Code no longer needed for the production of MSs. An assignee that does
29 not completely use MEID MFR(s) assignments should return the unused MEID MFR(s) to
30 the MEID Administrator as soon as possible,
- 31 • Any MEID MFR Code not deployed within the time period specified, including extensions,
32 or
- 33 • Any MEID MFR Code not used in conformance with these assignment guidelines.
- 34
- 35 9.4.8 Return to the MEID Administrator, on an annual basis on the anniversary date of the issuance of
36 the MEID MFR Code, a duly completed and signed *Form G*.
- 37

38 10.0 RESPONSIBILITIES OF THE MEID ADMINISTRATOR

39

40 The role of the MEID Administrator is to manage the entire MEID resource and to directly administer the MEID
41 MFR Code segment of the MEID. In this context, the MEID Administrator shall:

- 42 10.1 Provide to the industry general and specific information on the structure, proper use and management of
43 MEIDs for MSs, R-UIMs or CSIMs meeting regulatory requirements.
- 44 10.2 Provide copies of these guidelines and forms to MEID MFR Code applicants and assignees, and assist them
45 in completing the required forms.

- 1 10.3 Review and process MEID MFR Code applications as follows:
- 2 10.3.1 Review the application to determine if all requested information is provided and credible. If not,
3 return the application to the applicant requesting that any deficiency be corrected.
- 4 10.3.2 Inform applicants of the status of their requests using *Form B – MEID Manufacturer’s Code*
5 *Application Disposition*. There are two possible dispositions: 1) granted or 2) additional
6 information required. Notify the applicant in writing of the disposition within thirty days from
7 receipt of Form A. The response includes:
- 8 • If granted, the specific MEID MFR Code(s) assigned,
 - 9 • If additional information is required, the specific information required.
- 10 10.3.3 Keep confidential all information relative to anticipated volume of MSs, R-UIMs or CSIMs
11 and/or market launch details provided by applicant.
- 12
- 13 10.4 Use the following MEID MFR Code assignment procedures:
- 14 10.4.1 The Administrator should assign MEID MFR Codes in numerical sequence.
- 15 10.4.2 There may be considerations or limitations on the part of the manufacturer that require a specific
16 assignment or preclude them being able to use the next consecutive MEID MFR Code
17 assignment. These exceptions are set forth below and in the addenda (if any) to this document.
- 18 10.4.3 The following MEID MFR Code(s) are not available for MFR Code assignment due to previous
19 assignment and reservation (also see Section 18) e.g., test mobiles, expansion space:
- 20 Code A0000000 (Not available)
- 21 Code FFFFFFFF (Not available)
- 22 10.4.4 MEID MFR Code applicants eligible for multiple MEID MFR Codes (i.e., applicants with high
23 run rates as determined by the MEID Administrator using historical data and unbiased judgment)
24 may request that such codes be assigned in the next available block of numerically sequential
25 codes (excepting those codes reserved or unavailable for assignment, pursuant to Section 9.4.2
26 or any subsequent addenda to these guidelines). In such cases, a separate Form A should be
27 submitted for each MEID MFR Code required, along with a cover letter requesting their
28 assignment in a sequential block.
- 29 10.5 Maintain accurate and current MEID MFR Code assignment records. Update the records as required to
30 respond to requests for changes in assignment information reported by MEID MFR Code assignees.
31 Respond to these requests within thirty days using *Form E – Confirmation of Change of MEID Assignment*
32 *Information*.
- 33 10.6 Publish, monthly, via the agreed medium, a list of assigned MEID MFR Codes. The list includes the MEID
34 MFR Code number, the manufacturer to which the code is currently assigned, and the entity contact and
35 number.
- 36 10.7 Track the number of MEIDs assigned and report this data regularly to the applicable Standards
37 Development Organizations.
- 38 10.8 Investigate any MEID MFR Code that has not started to be deployed within the required time frame, and
39 issue extensions if appropriate. Notify the appropriate Engineering Committee if an assignee fails to start to
40 deploy an assigned MEID MFR Code within two extensions.
- 41 10.9 Reclaim assigned MEID MFR Code(s), as needed.

1 10.10 Direct the MEID conservation program and conduct periodic reviews, as required, of MEID MFR Code
2 assignee records.

3 10.11 Inform the wireless telecommunications industry, via the agreed method, of any revisions to these
4 guidelines.

5 10.12 The term of the MEID Administrator shall be for one (1) year from the date of appointment by the
6 overseeing industry body. One (1) extension of the appointment is automatic. The appointment may be
7 reviewed by the overseeing industry body at any time.

8

9 11.0 MEID MANUFACTURER'S CODE RETURN AND RECLAMATION
10 PROCEDURES
11

12 11.1 Assignee responsibilities:

13 Assignees shall return MEID MFR Code(s) that are no longer required, not deployed, or not used in
14 conformance with these assignment guidelines. In addition, assignees shall return the Code(s) and an
15 indication of the range of Serial Numbers that have been used if the manufacturer has not manufactured an
16 MEID MS, SF_MEID R-UIM or SF_MEID CSIM for at least one year.

17 Assignees shall cooperate with the MEID Administrator in carrying out its reclamation and review
18 responsibilities.

19 11.2 Administrator responsibilities:

20 The MEID Administrator shall contact any MEID MFR Code assignee identified as not having returned to
21 the Administrator, for reassignment, any MEID MFR Code(s) no longer required, not deployed, or not used
22 in conformance with these assignment guidelines.

23 The Administrator shall first seek clarification from the assignee regarding any alleged non-use or misuse.
24 If the assignee provides an explanation satisfactory to the administrator, and in conformance with these
25 assignment guidelines, the MEID MFR Code will remain assigned. If no satisfactory explanation is
26 provided, the Administrator will request a letter from the assignee returning the assigned code(s) for
27 reassignment. If a direct contact can not be made with the assignee to effect the above process, a registered
28 letter will be sent to the assignee address of record requesting that they contact the Administrator within
29 thirty days regarding the alleged code non-use or misuse. If the letter is returned as non-delivered, the
30 Administrator will advise the overseeing industry body i.e., the body that Administrator reports to (e.g. ESN
31 Administrator reports to TIA).

32 The MEID Administrator will consult with the overseeing industry body for guidance on any instance which
33 is not resolved through the procedures in the paragraph above. The overseeing industry body will
34 coordinate with appropriate industry fora in seeking a suggested resolution.

35 If the overseeing industry body cannot suggest a resolution, or if the MEID MFR Code assignee will not
36 comply with the resolution suggested by the overseeing industry body, the MEID Administrator may refer
37 the case to the appropriate regulatory body (pertinent to the jurisdiction where the assignee is located).

38 11.3 The overseeing industry body responsibilities:

39 • Accept all referrals of alleged non-use or misuse of MEID MFR Codes from the MEID Administrator
40 or any other entity (also see section 15.0 regarding dispute resolutions),

41 • Investigate the referral,

42 • Review referrals in the context of these assignment guidelines,

- 1 • Attempt to identify a suggested resolution of the referral, and
- 2 • Inform the MEID Administrator of the suggested resolution, if identified, or that the overseeing
- 3 industry body was unable to identify a suggested resolution,
- 4 • If a suggested resolution is not in conformance with the existing guidelines, the overseeing industry
- 5 body may initiate the guidelines revision process [Section 14].
- 6 • Material changes or exceptions to these procedures should occur with industry consensus reflected in
- 7 the change process, and in accord with Global Administration Procedure evolution.

8

9 12.0 MEID RESOURCE CONSERVATION AND ASSIGNMENT REVIEWS

10 12.1 Assignment and management of MEID resources are undertaken with the following conservation
11 objectives:

- 12 • To efficiently and effectively administer/manage a limited resource through code conservation, and
- 13 • To eliminate or delay the potential for MEID exhaustion.

14 The process to achieve these objectives should not impede the introduction of competitive wireless services
15 which use MEIDs.

16 12.2 To promote the efficient and effective use of numbering resources, reviews of MEID MFR Code
17 assignments may be performed to ensure consistent compliance with these guidelines.

18 12.3 The MEID Administrator tracks and monitors MEID MFR Code assignments and assignment procedures to
19 ensure that all segments of the MEIDs are being used in an efficient and effective manner. Ongoing
20 administrator procedures that foster conservation shall include, but not be limited to, the following:

- 21 • An active reclamation program to reclaim unused or misused MEID MFR Code,
- 22 • Strict conformance with these guidelines by those assigning MEID MFR Codes and MEID Serial
- 23 Numbers,
- 24 • Appropriate and timely modifications to these guidelines to enhance text that may have allowed
- 25 inefficient use of MEID MFR Codes,
- 26 • Periodic specific and random reviews of assignments and assignment procedures.

27 12.4 The MEID Administrator may initiate a review of an MEID MFR Code assignee's assignment records. The
28 review may be precipitated by a complaint from outside the Administrator's organization or by the
29 Administrator. The review shall be initiated if a request for an MEID MFR Code assignment is received
30 from a manufacturer that already has an MEID MFR Code assignment. The purpose of a review is to verify
31 the MEID MFR Code assignee's compliance with the provisions set forth in these guidelines. The review is
32 performed by the MEID Administrator or by a neutral third party acceptable to the reviewed party and the
33 Administrator.

34 12.4.1 These reviews are conducted at the MEID MFR Code assignee's premises or at a mutually
35 agreed to location and at a mutually agreed to time.

36 12.4.2 The MEID Administrator shall not copy or remove the information from the premises nor
37 disclose the information to non-MEID Administrator personnel.

38 12.4.3 The MEID Administrator reviews the following information to ensure conformance with these
39 guidelines and the proper use of the MEID resource:

- 1 • Verification that not more than one MEID MFR Code is assigned unless near serial number
2 exhaustion has been reached under all but one of the assigned MEID MFR Codes, or, if a
3 new MEID MFR Code assignment has been requested, verification that near serial number
4 exhaustion has been reached under all assigned MEID MFR Codes. However, a
5 manufacturer can request the assignment of multiple MEIDs if that manufacturer can
6 certify that they reasonably expect to exhaust all their assigned MEIDs within six months
7 of issuance.
- 8 • Verification of assignment for each working MEID MFR Code, (e.g. declaration from
9 manufacturer)
- 10 • Date of assignment of each working MEID MFR Code,
- 11 • Implementation date of each working MEID MFR Code,
- 12 • Indication of MEID Serial Number assignment to MSs, R-UIMs or CSIMs, and
- 13 • Status and status date of each MEID MFR Code unavailable for assignment; *i.e.*, MEID
14 MFR Codes reserved, aging, pending and/or, suspended.

15 12.5 Review results should be used to identify and recommend to the overseeing industry body specific
16 corrective actions that may be necessary. Examples of specific corrective actions, which may be proposed,
17 are as follows:

- 18 • Modifications to these assignment guidelines to reflect the specific circumstance revealed by the
19 review,
- 20 • Additional training for MEID MFR Code assignees concerning the assignment guidelines,
- 21 • Return of assigned MEID MFR Code,
- 22 • Requirements for supporting documentation of future MEID MFR Code requests in non-compliant
23 situations, or
- 24 • Modifications to the process in which records are maintained or MEID MFR Codes are assigned.

25 12.6 Review results with respect to MEID MFR Code assignee information and/or recommended MEID MFR
26 Code assignee process modifications shall be treated on a proprietary and confidential basis.

27 12.7 Failure to participate or cooperate in a review shall result in the activation of MEID MFR Code reclamation
28 procedures.

29

30 13.0 MEID EXHAUSTION CONTINGENCY

31 13.1 When 75% of all the available MEID MFR Codes have been assigned, or assignments are exceeding 10%
32 of the resource per year, the MEID Administrator shall inform the overseeing industry body.

33 13.2 When the MEID Administrator informs the overseeing industry body that the MEID MFR Codes are
34 approaching exhaustion, the overseeing industry body:

- 35 • Conducts a review of current MEID MFR Codes assignments to ensure that efficient MEID MFR
36 Codes utilization is in effect, and, if not,
- 37 • Recommends additional procedures to be initiated to effect more efficient MEID MFR Codes
38 utilization, or if efficient utilization is in effect,

- 1 • Makes a determination of the most efficient method of expanding the MEID keeping in mind the
2 requisite lead time required to adequately address the network elements which utilize the MEID.

3 13.3 Using data provided by the overseeing industry body, the wireless industry shall undertake to specify the
4 desired method and time frame needed to implement the proposed changes in the MEID. There should be
5 concurrence from all disciplines in the wireless industry as to the method and time frame for
6 implementation of a replacement for MEID MFR Codes.

7 13.4 A partially used MEID MFR Code may be reassigned to another manufacturer for use with limited serial
8 numbers if a significant block of serial numbers associated to that MEID MFR Code remained unassigned.

9 When the criteria in section 13.1 have been reached the administrator may recommend methods of
10 conservation and re-use of parts of assigned blocks that will not be used.

11 An MEID MFR Code(s) recovered or returned to the administrator for reassignment may remain dormant.
12 If no MSs, R-UIMs or CSIM have been manufactured by the previous assignee, the code(s) may be
13 reissued. If, however, MSs, R-UIMs or CSIM have been produced and sold, the code(s) shall be blocked
14 from future use. As the need for MEID MFR Codes becomes critical (e.g., 90% of available codes are
15 assigned), codes which have been partially used by a previous assignee may be re-assigned with serial
16 number range limitations. That is, if the previous assignee had only produced a limited number of
17 equipment using a contiguous serial number range, the present assignee may use the code to produce
18 equipment with serial numbers that do not duplicate those of the previous assignee. It should be
19 recognized that the re-issue of an MEID MFR Code is considered an exceptional measure anticipated to be
20 invoked only during MEID resource exhaust timeframes.

21 **14.0 MAINTENANCE OF GUIDELINES**

22 It may be necessary to modify the guidelines periodically to meet changing and unforeseen circumstances. The
23 administrator, any entity in the wireless telecommunications sector or the appropriate wireless industry forum, may
24 identify the need for guidelines modification. When need for modification is identified by other than the forum, the
25 identifying entity submits the modification issue to the forum. The forum coordinates the modification process.
26 Questions or concerns regarding the maintenance of the guidelines may be directed to:

27 MEID Global Hexadecimal Administrator
28 c/o Telecommunications Industry Association
29 1320 N. Courthouse Rd. Suite 200
30 Arlington, VA 22201 USA
31 Phone: +1 703-907-7791
32 Fax: +1 703-907-7728
33 meidadmin@tiaonline.org
34
35

36 **15.0 APPEALS PROCESS**

37 Disagreements may arise between the MEID Administrator and MEID applicants or assignees in the context of the
38 administration and management of MEIDs and the application of these guidelines. In all cases, the MEID
39 Administrator and MEID applicants/assignees shall make reasonable, good faith efforts to resolve such
40 disagreements among themselves, consistent with the guidelines, prior to pursuing any appeal. Appeals may include,
41 but are not limited to, one or more of the following situations,

42 By submitting an application for MEID Codes, accepting these Guidelines, or accepting any MEID MFR Code
43 Assignments, the company agrees that these Guidelines and all disputes arising out of or relating to the application
44 for or assignment of MEID MFR codes shall be governed by the laws of the state of Virginia without giving effect to
45 applicable conflict of laws provisions. The parties further agree that they will first attempt to resolve any and all
46 disputes, differences, or questions arising out of or relating to these Guidelines, or the validity, interpretation, breach,

1 or violation or termination thereof through a meeting of the principals of the parties. Such meeting may be in person,
2 via telephone or via videoconference. If such a meeting does not resolve the dispute between the parties, the matter
3 must first be brought to a meeting of the TIA TR-45 EUMAG. If that meeting does not resolve the issue, the matter
4 must then be brought to the industry experts participating in TIA TR-45. In the event such meetings are
5 unsuccessful, then such dispute shall be finally and solely determined and settled by arbitration in Washington, D.C.
6 in accordance with the Commercial Arbitration Rules of the American Arbitration Association. In any such
7 arbitration proceedings, the arbitrators shall adopt and apply the provisions of the Federal Rules of Civil Procedure
8 relating to discovery so that each party shall allow and may obtain discovery of any matter not privileged which is
9 relevant to the subject matter involved in the arbitration to the same extent as if such arbitration were a civil action
10 pending in a United States District Court. Judgment upon any arbitration award may be entered and enforced in any
11 court of competent jurisdiction. All notices required hereunder shall be in writing.

12 Reports on any resolution resulting from the above situations, the content of which is mutually agreed upon by the
13 involved parties, and kept on file by the MEID Administrator. At a minimum, the report contains the final
14 disposition of the appeal; e.g., whether or not an MEID was assigned.

15

16 16.0 GLOSSARY

17 *3GPP* - Third Generation Partnership Project

18 *3GPP2* - Third Generation Partnership Project Two

19 *Assignee* - The entity to which an IMEI, MEID, UIM or ESN has been assigned for the manufacture of mobile
20 stations.

21 *CEIR* - Central Equipment Identity Register

22 *CMRS* - Commercial Mobile Radio Service. A mobile service (or functional equivalent) that is (1) provided for
23 profit, (2) an interconnected service, and (3) available to the public, or to such classes of eligible users as to
24 be effectively available to a substantial portion of the public.

25 *Conservation* - Consideration given to the efficient and effective use of a finite resource in order to minimize the
26 need to expand its availability while at the same time allowing the maximum flexibility in the introduction
27 of new services, capabilities and features.

28 *CSIM* - CDMA2000® Subscriber Identity Module

29 *ESN* - The Electronic Serial Number

30 *EUIM-ID* - Expanded R-UIM Identity

31 *GDA* - Global Decimal Administrator

32 *GHA* - Global Hexadecimal Administrator

33 *GEID* - Global Equipment Identifier encompasses both the GDA and GHA assignable numbering range for
34 coordinated global roaming and harmonization between 3G technologies as a universal mobile equipment
35 identifier.

36 *GSMA* - GSM Association

37 *IMEI* - International Mobile Equipment Identity, which may uniquely identify a mobile station

38 *ME* - Mobile Equipment. (*See also Mobile station, R-UIM or CSIM*)

39 *MEID* - Mobile Equipment Identity, which may uniquely identify a mobile station

- 1 *Mobile station* - Interface equipment used to terminate the radio path at the user side. The mobile station contains an
- 2 Electronic Serial Number and other identification information, either a Mobile Identification Number
- 3 (MIN) or an International Mobile Station Identification (IMSI).

- 4 *Multi-Mode IMEI/MEID MS* - Mobile Station designed to operate according to more than one air interface or
- 5 Network specification. Terminals designed to comply with both 3GPP and 3GPP2 specifications. Note:
- 6 IMEI /MEID Manufacturers ID Code field is similar to an IMEI TAC field.

- 7 *Overseeing Industry body* - The body that the MEID Administrator reports to (e.g. ESN Administrator and MEID
- 8 Administrator reports to TIA).
- 9
- 10 *Regulatory Approved Licensed two-way CMRS service provider* - Any entity that is authorized, as appropriate, by
- 11 local, state, or federal regulatory authorities to provide two-way mobile stations to the public.

- 12 *R-UIM* - Removable User Identification Module, often called the Subscriber Identity Module (SIM) card.
- 13
- 14 *Sensitive Information* - Information expressly identified as such by applicant or information on submitted forms
- 15 other than manufacturer name and contact information.

- 16 *Serial Number* - The portion of the MEID or IMEI that uniquely identifies the MS within the Manufacturer code
- 17 allocation space.
- 18
- 19 *SF_EUIMID* - Short Form EUIM-ID
- 20
- 21 *SIM* - Subscriber Identity Module card (similar to R-UIM, CSIM)
- 22
- 23 *TAC* – Type Allocation Code (IMEI 3GPP terminology)
- 24
- 25 *UIM* - User Identification Module
- 26

27 **17.0 MEID ADMINISTRATIVE REPORT INFORMATION**

28
 29 An extract of the MEID administrative report will be posted and found at www.tiaonline.org. (under development).

32 **18.0 MEID MANUFACTURER'S CODE ASSIGNMENT**

33
 34 The MEID administrative code assignment information and MEID online assignment capabilities will be posted and
 35 found at www.tiaonline.org (Note - The web site link with extracted code assignment information and the TIA online
 36 MEID database with login/password credentials are under TIA development).

37
 38 The following table is an example extracted from a recent GHA MEID Administrator's Report distributed prior to
 39 the revised Assignment Guidelines and Procedures approved version.

Manufacturer Code		Manufacturer (list manufacturer name or regional administration body and contact information when allocated)
Hexadecimal	Decimal	
	98dddddd	GHA (for 3GPP/3GPP2 multi-mode terminals) <see note below this table>
	99dddddd	GHA (for 3GPP/3GPP2 multi-mode terminals) (Start)
A0000000		Reserved for test / prototype mobiles allocated in small quantities
A0000001		Available for allocation to regional administration bodies or mobile manufacturers (Start)
--->	--->	Available for allocation to regional administration bodies or mobile manufacturers
FFFFFFFE	4,294,967,294	Available for allocation to regional administration bodies or mobile manufacturers
FFFFFFF	4,294,967,295	Reserved

40 Note: With the exception of ranges assigned by the GDA prior to January 2010.

1 19.0 MEID APPLICATION AND RELATED FORMS PACKAGE
2

3 The forms in this package are used for communication between the MEID Administrator and applicants for assignees
4 of these resources. The online MEID application process will be the primary application method when available
5 (capability included with the TIA MEID database development). Forms included in this package are:

6 Form A – Mobile Equipment Identifier (MEID) Application also applicable for SF_EUIMID i.e., R-UIM or CSIM

7 Applicants complete, sign, and return this form to apply for an MEID. Note: Form “A” pages 3a & 3b
8 (used primarily for multi-mode assignments) may be submitted independently when information is
9 updated and the “Update Section” is completed.

10 Form B – Mobile Equipment Identifier (MEID) Application Disposition also applicable for SF_EUIMID i.e., R-
11 UIM or CSIM.

12 The MEID GHA Administrator uses this form to notify the applicant of the outcome of his/her
13 application, which may be a code assignment, denial, or a request for additional clarifying information.
14 Note: Form B “Reserved notation” is issued when reserved notation is requested and granted.

15 Form C – Mobile Equipment Identifier (MEID) Use Declaration also applicable for SF_EUIMID i.e., R-UIM or
16 CSIM.

17 The recipient of an Mobile Equipment Identifier (MEID) assignment uses this form to notify the MEID
18 Administrator that the assigned code has been deployed.

19 Form D – Request for Change in Mobile Equipment Identifier (MEID) Assignment Information also applicable
20 for SF_EUIMID i.e., R-UIM or CSIM

21 Mobile Equipment Identifier (MEID) assignees use this form to notify the MEID Administrator of a
22 change in any of the assignment information; for example, a change in the name, address, or phone
23 number of the contact person in the company holding the Mobile Equipment Identifier (MEID). As a
24 more complex example, this form should also be used to record the transfer of a Mobile Equipment
25 Identifier (MEID) to a new company, as might happen as a result of a merger or acquisition.

26 Form E – Confirmation of Change in Mobile Equipment Identifier (MEID) Assignment Information also
27 applicable for SF_EUIMID i.e., R-UIM or CSIM.

28 The MEID Administrator uses this form to acknowledge a change initiated by a Mobile Equipment
29 Identifier (MEID) assignee through submission of Form D.

30 Form F – Mobile Equipment Identifier (MEID) Assignment Return also applicable for SF_EUIMID i.e., R-UIM
31 or CSIM.

32 Mobile Equipment Identifier (MEID) assignees use this form to return to the pool any Mobile
33 Equipment Identifier (MEID) which are no longer required.

34 Form G – Certification of Compliance with MEID Guidelines also applicable for SF_EUIMID i.e., R-UIM or
35 CSIM.

36 Mobile Equipment Identifier (MEID) assignees use this form to certify compliance with the MEID
37 Assignment Guidelines and Procedures.

38 Return completed forms to:

39 Engineering Committee TR-45 MEID Global Hexadecimal Administrator
40 c/o Telecommunications Industry Association
41 1320 N. Courthouse Rd. Suite 200
42 Arlington, VA 22201 USA
43 Phone: +1 703-907-7791
44 Fax: +1 703-907-7728
45 meidadmin@tiaonline.org
46

1 **FORM A – MOBILE EQUIPMENT IDENTIFIER (MEID) APPLICATION** (also applicable for SF_EUIMID
2 i.e., R-UIM or CSIM)

3
4 Entity requesting assignment:

5
6 General description of the MS or R-UIM/CSIM to be provided (**Check One**)

7
8
9
10

11
12
13 Regulatory Agency Reference Code (if applicable).....
14

15
16
17
18 Multi-Mode MS terminals designed to comply with both 3GPP and 3GPP2 specifications?

19
20 YES NO IMPORTANT: If “YES” must complete page 3 of FORM “A”

21
22 Test Block?

23 YES NO

24
25 Number of Serial Numbers being requested:

26
27
28 Do special considerations apply?

29
30 YES NO

31
32 If YES, please specify the special consideration needed

33
34
35
36
37
38

39
40 The MEID shall be set by the manufacturer. The manufacturer shall make every reasonable effort for the
41 MEID to be not alterable, not capable of duplication nor removable outside of a manufacturer authorized
42 service center, and any attempt to remove, tamper with, or change the MEID host component or operating
43 system as originally programmed by the manufacturer shall render the MS inoperative. Where a dedicated
44 MEID device is utilized, it must be permanently attached to the device that reads the MEID and the path to
45 the device must be secured. The device shall not be removable and its pins shall not be accessible. The
46 MEID is incorporated in an MS or R-UIM or CSIM. The MEID shall not be changed after the ME’s final
47 production process. It shall resist tampering, i.e. manipulation and change, by any means (e.g. physical,
48 electrical and software). The manufacturer is also responsible for ascertaining that each MEID is unique
49 and keeping detailed records of produced and delivered MSs, R-UIMs and CSIMs.

50
51
52
53
54
55
56

FORM A – MOBILE EQUIPMENT IDENTIFIER (MEID) APPLICATION (also applicable for SF_EUIMID i.e., R-UIM or CSIM **(CONTINUED)**)

Contact: (Family name):..... (Given name):.....

Title: Mr. Mrs. Ms. Dr. Other: _____

Company:

Address:

.....

Room:

City State (or Province)..... ZIP (or Postal Code):

Country:

Phone: Cell (Mobile): Fax:

E-mail:

Signature below indicates that the applicant:

- Certifies the accuracy of the information provided in this application,
- Commits to deploy any assigned MEID Manufacturer’s Code(s) within the time period specified by the assignment guidelines,
- Certifies that the **MOBILE EQUIPMENT IDENTIFIER (MEID)** Manufacturer’s Code will be used in mobile sets for CMRS,
- Certifies that any required authorization has been secured from the appropriate federal, state, or local regulatory bodies, and
- Understands and agrees that the use of any assigned MEID Manufacturer’s Code(s) in a manner other than in conformance with the assignment guidelines may result in forfeiture.

Authorized name:

Authorized signature:

E-mail:

Date of application:

Form “A” Page 2

Complete next page 3 ONLY if you are requesting MEID Mfr Codes for Multi-Mode equipment designed to comply with both 3GPP and 3GPP2 air interface specifications.

All Applicants Complete Form “A” Page 4

FORM A – MOBILE EQUIPMENT IDENTIFIER (MEID) APPLICATION (also applicable for SF_EUIMID i.e., R-UIM or CSIM) **(CONTINUED)**

Complete this page **ONLY** if you are requesting IMEI/MEID Mfr Codes for **Multi-Mode ME or MS** equipment designed to comply with both 3GPP and 3GPP2 air interface specifications.

WARNING – Must be filled out accurately and in full for proper global interoperability.

NOTE: Form “A” pages 3a & 3b may be submitted independently when information is updated and the “Update Section” below is completed.

Marketing Name(s) - Include all brand names and variants (e.g., model):

Do blocks require “Reserved” identification? YES* NO

*** Applicants MUST promptly follow up “Reserved” block requests with updated details (e.g., marketing/model names, “tick box” characteristics), including the update section information herein, to the MEID Administrator prior to these products being shipped for commercial deployment.**

Equipment Type:

Handheld Portable (includes PDA) Vehicle Module Other _____

Other Radio Interfaces Supported:

None TDMA/AMPS CDMA2000® EDGE GPRS Satellite Other _____

Modes / Bands Supported:

GSM

450 850 (800) 900 1800 1900

WCDMA

WCDMA FDD Band I WCDMA FDD Band II WCDMA FDD Band III

WCDMA FDD Band IV WCDMA FDD Band V WCDMA FDD Band VI

WCDMA FDD Band VII WCDMA FDD Band VIII WCDMA FDD Band IX

WCDMA FDD Band A WCDMA FDD Band B WCDMA FDD Band C

WCDMA FDD Band D HSDPA HSUPA

TD-SCDMA

1 **FORM A – MOBILE EQUIPMENT IDENTIFIER (MEID) APPLICATION** (also applicable for SF_EUIMID
2 i.e., R-UIM or CSIM **(CONTINUED)**

3
4 **LTE FDD**

- 5 LTE FDD Band 1 LTE FDD Band 2 LTE FDD Band 3 LTE FDD Band 4
- 6 LTE FDD Band 5 LTE FDD Band 6 LTE FDD Band 7 LTE FDD Band 8
- 7 LTE FDD Band 9 LTE FDD Band 10 LTE FDD Band 11 LTE FDD Band 12
- 8 LTE FDD Band 13 LTE FDD Band 14 LTE FDD Band 15 LTE FDD Band 16
- 9 LTE FDD Band 17 LTE FDD Band 18 LTE FDD Band 19 LTE FDD Band 20
- 10 LTE FDD Band 21 LTE FDD Band 22 LTE FDD Band 23 LTE FDD Band 24
- 11 LTE FDD Band 25 LTE FDD Band 26

12
13 **LTE TDD**

- 14 LTE TDD Band 33 LTE TDD Band 34 LTE TDD Band 35 LTE TDD Band 36
- 15 LTE TDD Band 37 LTE TDD Band 38 LTE TDD Band 39 LTE TDD Band 40
- 16 LTE TDD Band 41 LTE TDD Band 42

17
18 **CDMA**

19
20 **GAN**

21
22 **Multi SIM** (Number of SIM supported in a device); 1 2 3 4
23 No multi SIM support

24
25 **Others** _____
26 (Modes/Bands not identified in areas above should be noted here as “Others”)

27
28
29
30 **UPDATE SECTION:**

31
32 Date of update:

33
34 Date of original application:

35
36 Company:

37
38 Authorized name:

39
40 Authorized signature:

41
42 Phone: Cell (Mobile): E-mail:

43
44 Block #(s) related to original application:

45
46 MFR ID code (s) < if needed to relate to Block #(s) above >:

FORM A – MOBILE EQUIPMENT IDENTIFIER (MEID) APPLICATION (also applicable for SF_EUIMID i.e., R-UIM or CSIM **(CONTINUED)**)

There may be a non-refundable application fee for each MEID Manufacturer’s Code requested and allocated by the administrator. Pricing for applications are set by the MEID Global Hexadecimal Administrator. Please refer to the TIA website for the current fee structure. Payment of the non-refundable application fee is:

- by wire transfer (TIA invoice will include bank wire transfer information) or
- by enclosed check (made payable to Telecommunications Industry Association) or
- by credit card (mark one):
 - MasterCard
 - Visa
 - American Express

Credit card number _____

Expiration date (Month MM / Year YY) _____

Signature of card holder _____

Printed name of card holder _____

Dated: _____

Return completed application forms to:

Engineering Committee TR-45 MEID Global Hexadecimal Administrator
 c/o Telecommunications Industry Association
 1320 N. Courthouse Rd. Suite 200
 Arlington, VA 22201 USA

Phone: +1 703-907-7791
 Fax: +1 703-907-7728
meidadmin@tiaonline.org

1 **FORM B – MOBILE EQUIPMENT IDENTIFIER MANUFACTURER’S CODE APPLICATION**
2 **DISPOSITION** (also applicable for SF_EUIMID i.e., R-UIM or CSIM)

3
4 The MEID Administrator has reviewed your application filed for assignment of an MEID Manufacturer’s Code. The
5 box checked below indicates the action taken:

6
7
8 Your application has been granted. The MEID Manufacturer’s Code(s) and serial number code range(s)
9 assigned for your use is/are:

10

11
12 The assignment is effective as of:

13
14 The information recorded for this assignment is shown below. Please notify the MEID Administrator
15 immediately of any errors in or changes to this information.

16
17 *(Display computer generated assignment information here.)*
18

19
20 Your application has not been granted at this time for the following reason(s):

21

22
23

24
25
26 You are entitled to appeal as specified in Section 15 of the assignment guidelines.
27

28 The following additional information is needed to process your application:

29

30
31

32
33
34
35 Authorized name:

36 Authorized signature:

37
38 Phone: Cell (Mobile): E-mail:

39 Date:
40
41
42
43
44
45
46
47
48

1 **FORM B “Reserved notation” – MOBILE EQUIPMENT IDENTIFIER MANUFACTURER’S CODE**
2 **APPLICATION DISPOSITION** (also applicable for SF_EUIMID i.e., R-UIM or CSIM)

3
4 The MEID Administrator has reviewed your application filed for assignment of an MEID Manufacturer's Code. The
5 box checked below indicates the reserved notation action taken:

6 Your application has been granted with “Reserved” notation.
7 It is critical that prior to units manufactured with these IMEI/MEID multi-mode ranges being shipped for
8 commercial deployment, product model name/marketing information must be promptly provided to the MEID
9 Administrator. Following this notification, a second Form B will follow confirming change to ASSIGNED.

10
11 The assignment (reserved) is effective as of:

12
13 The information recorded for this assignment (reserved) is shown below. Please notify the MEID
14 Administrator immediately of any errors in or changes to this information.

15
16 *(Display computer generated assignment information here.)*
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34

35 _____
36 Authorized name:

37 Authorized signature:

38 Phone: Cell (Mobile): E-mail:

39 Date:
40
41
42
43
44
45
46
47
48
49
50
51
52
53

1 **FORM C – MOBILE EQUIPMENT IDENTIFIER USE DECLARATION** (also applicable for SF_EUIMID
2 i.e., R-UIM or CSIM)

3
4
5 By submitting this form, I certify that

6
7 MEID Manufacturer’s Code and Serial Number Range(s):

8
9 Assigned to:

10 Assigned range is first used effective (date of first use):
11

12
13
14 _____
15 Authorized name:

16 Authorized signature:

17
18 Phone: Cell (Mobile): E-mail:

19
20 Date of this notification:

21
22 _____
23 Return completed application forms to:

24
25
26 Engineering Committee TR-45 MEID Global Hexadecimal Administrator
27 c/o Telecommunications Industry Association
28 1320 N. Courthouse Rd. Suite 200
29 Arlington, VA 22201 USA

30
31 _____
32 Phone: +1 703-907-7791
33 Fax: +1 703-907-7728
34 meidadmin@tiaonline.org

35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54 **Form “C”**
55

1 **FORM D – REQUEST FOR CHANGE IN MOBILE EQUIPMENT IDENTIFIER INFORMATION** (also
2 applicable for SF_EUIMID i.e., R-UIM or CSIM)

3
4
5 Effective (date):
6

7 The assignment information for MEID Manufacturer’s Code and Serial Number Range(s):
8 should be changed. The changes are described below:
9

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

Authorized name:

Authorized signature:

Phone: Cell (Mobile): E-mail:

Date of this notification:

Return completed application forms to the:

Engineering Committee TR-45 MEID Global Hexadecimal Administrator
c/o Telecommunications Industry Association
1320 N. Courthouse Rd. Suite 200
Arlington, VA 22201 USA

Phone: +1 703-907-7791
Fax: +1 703-907-7728
meidadmin@tiaonline.org

Form “D”

1 **FORM E – CONFIRMATION OF CHANGE IN MOBILE EQUIPMENT IDENTIFIER ASSIGNMENT**
2 **INFORMATION** (also applicable for SF_EUIMID i.e., R-UIM or CSIM)

3
4
5 Your request-dated _____ for change(s) to the assignment information for MEID Manufacturer’s Code and
6 Serial Number Range(s)_____ has been processed by the administrator and the changes have been made.
7 Please verify the revised assignment information below and report any errors or discrepancies to the administrator.

8
9
10
11
12
13
14
15

16
17 *(Display computer generated assignment information here.)*

18
19 Authorized name:

20
21 Authorized signature:

22
23 Phone: Cell (Mobile): E-mail:

24
25 Date of this notification:

26
27 Report discrepancies to the:

28
29 Engineering Committee TR-45 MEID Global Hexadecimal Administrator
30 c/o Telecommunications Industry Association
31 1320 N. Courthouse Rd. Suite 200
32 Arlington, VA 22201 USA

33
34 _____
35 Phone: +1 703-907-7791

36 Fax: +1 703-907-7728

37 meidadmin@tiaonline.org
38
39
40
41
42
43
44
45
46

47 **Form “E”**
48

1 **FORM F – MOBILE EQUIPMENT IDENTIFIER ASSIGNMENT RETURN** (also applicable for SF_EUIMID
2 i.e., R-UIM or CSIM)

3
4
5
6 MEID Manufacturer’s Code and Serial Number Range(s):

7
8
9 Currently held by:
10 is no longer required effective (date) and may be returned to the
11 pool for assignment to another entity.

12
13 Serial Numbers used thus far are in the range of _____ to _____.
14

15 Multi-mode IMEI/MEID equipment designed to comply with both 3GPP and 3GPP2 specifications

16
17
18 Authorized name:

19
20 Authorized signature:

21
22 Phone: Cell (Mobile): E-mail:

23
24 Date of this notification:

25
26 Return completed forms to the:

27
28 Engineering Committee TR-45 MEID Global Hexadecimal Administrator
29 c/o Telecommunications Industry Association
30 1320 N. Courthouse Rd. Suite 200
31 Arlington, VA 22201 USA

32
33 Phone: +1 703-907-7791

34 Fax: +1 703-907-7728

35 meidadmin@tiaonline.org
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52

53 **Form “F”**
54
55

1 **FORM G - CERTIFICATION OF COMPLIANCE WITH MEID GUIDELINES** (also applicable for
2 SF_EUIMID i.e., R-UIM or CSIM)

3
4
5 We, _____ (Assignee), certify that MEID Code and Serial Number Range(s)
6 _____,
7 _____,
8 _____,
9 _____,
10 _____,
11 _____
12

13 has been used in accordance with all of the terms and provisions set forth in the MEID Guidelines as published by
14 3GPP2 and TIA and posted on the latter's web site on the date of this certification ("MEID Guidelines"). We further
15 specify that we have complied in specific with applicable Sections of the MEID Guidelines.
16

17 We understand that failure to comply with the MEID Guidelines may result in the forfeiture of the above MEID
18 Code and Serial Number Range(s).
19

20
21 Serial Numbers used thus far are in the range of _____ to _____.
22

23 Printed Name: _____
24

25 Signed: _____
26

27 Title: _____
28

29 Phone: Cell (Mobile): E-mail:
30

31 Date: _____
32

33 Return completed Form G on an annual basis to:
34

35 Engineering Committee TR-45 MEID Global Hexadecimal Administrator
36 c/o Telecommunications Industry Association
37 1320 N. Courthouse Rd. Suite 200
38 Arlington, VA 22201 USA
39

40 _____
41 Phone: +1 703-907-7791

42 Fax: +1 703-907-7728

43 meidadmin@tiaonline.org
44
45
46
47
48
49
50
51
52

53 **Form "G"**
54
55
56

1
2
3
4
5
6
7
8

ANNEX “A” (Informative)

MEID Application and Assignment form TIA Online process screen shots:

(Screen shots will be based on current GHA Administrative Guidelines. TIA online MEID db forms are still a work in progress and screen shots will be updated in the next revision of this document when TIA online MEID db is live).